


# SCREWDRIVERS, NUTDRIVERS, HEX KEYS & BITS

Introducing an entirely new range of screwdrivers and power bits. Featuring tri-material handles and wrench bolsters on the larger sizes, the Blackhawk™ by Proto® screwdriver line now includes more sizes and fastener types than ever before, including a seven bit ratcheting screwdriver with straight and pistol grips. Screwdriver tips feature grit blasted contact points to reduce chrome peel and provide tighter contact with the fastener head. Our power insert bits now come in convenient sets for bulk and job specific use.





**22 PIECE COMBINATION SCREWDRIVER SET**

**Item #: ST-22CS**

• Weight (lbs): 4.36



| Contents   | Tip Size | Shank Length (in) | Overall Length (in) |
|------------|----------|-------------------|---------------------|
| ST-1008SB  | 3/8      | 8                 | 12-1/2              |
| ST-12010SB | 1/2      | 10                | 14-1/2              |
| ST-252C    | 3/32     | 1-59/64           | 5-13/16             |
| ST-303S    | 1/8      | 2-7/8             | 6-3/4               |
| ST-353C    | 9/64     | 3                 | 7                   |
| ST-404S    | 5/32     | 3-31/64           | 7-7/8               |
| ST-555C    | 3/16     | 4-7/8             | 6                   |
| ST-555S    | 7/32     | 5                 | 9-1/8               |
| ST-655S    | 1/4      | 4-57/64           | 9-1/2               |
| ST-656C    | 1/4      | 6                 | 10-1/2              |
| ST-656SB   | 1/4      | 6                 | 10-1/2              |
| ST-65SH    | 1/4      | 1-1/4             | 3-1/2               |
| ST-807S    | 5/16     | 6-61/64           | 11-1/2              |
| ST-PH00-2  | #00      | 1-15/16           | 5-13/16             |
| ST-PH0-3   | #0       | 2-15/16           | 7                   |
| ST-PH1-4   | #1       | 7-59/64           | 8                   |
| ST-PH1-SH  | #1       | 1-1/8             | 3-1/2               |
| ST-PH2-5   | #2       | 4-57/64           | 9                   |
| ST-PH2-5B  | #2       | 5                 | 9                   |
| ST-PH2-SH  | #2       | 1-9/64            | 3-1/2               |
| ST-PH3-6B  | #3       | 6                 | 10-1/2              |
| ST-PH4-8B  | #4       | 8                 | 12-1/2              |

**9 PIECE COMBINATION SCREWDRIVER SET**

**Item #: ST-9CS**

• Weight (lbs): 2.86



| Contents   | Tip Size | Shank Length (in) | Overall Length (in) |
|------------|----------|-------------------|---------------------|
| ST-1008SB  | 3/8      | 8                 | 12-1/2              |
| ST-12010SB | 1/2      | 10                | 14-1/2              |
| ST-353C    | 9/64     | 3                 | 7                   |
| ST-555S    | 7/32     | 5                 | 9-1/8               |
| ST-656C    | 1/4      | 6                 | 10-1/2              |
| ST-656SB   | 1/4      | 6                 | 10-1/2              |
| ST-PH2-5B  | #2       | 5                 | 9                   |
| ST-PH3-6B  | #3       | 6                 | 10-1/2              |
| ST-PH4-8B  | #4       | 8                 | 12-1/2              |



## 9 PIECE SLOTTED SCREWDRIVER SET

### Item #: ST-9S

• Weight (lbs): 2.26



| Contents   | Tip Size | Shank Length (in) | Overall Length (in) |
|------------|----------|-------------------|---------------------|
| ST-1008SB  | 3/8      | 8                 | 12-1/2              |
| ST-12010SB | 1/2      | 10                | 14-1/2              |
| ST-303S    | 1/8      | 2-7/8             | 6-3/4               |
| ST-404S    | 5/32     | 3-31/64           | 7-7/8               |
| ST-555S    | 7/32     | 5                 | 9-1/8               |
| ST-655S    | 1/4      | 4-57/64           | 9-1/2               |
| ST-656SB   | 1/4      | 6                 | 10-1/2              |
| ST-65SH    | 1/4      | 1-1/4             | 3-1/2               |
| ST-807S    | 5/16     | 6-61/64           | 11-1/2              |

## 9 PIECE PHILLIPS® SCREWDRIVER SET

### Item #: ST-9PH

• Weight (lbs): 1.67



| Contents  | Tip Size | Shank Length (in) | Overall Length (in) |
|-----------|----------|-------------------|---------------------|
| ST-PH00-2 | #00      | 1-15/16           | 5-13/16             |
| ST-PH0-3  | #0       | 2-15/16           | 7                   |
| ST-PH1-4  | #1       | 7-59/64           | 8                   |
| ST-PH1-SH | #1       | 1-1/8             | 3-1/2               |
| ST-PH2-5  | #2       | 4-57/64           | 9                   |
| ST-PH2-5B | #2       | 5                 | 9                   |
| ST-PH2-SH | #2       | 1-9/64            | 3-1/2               |
| ST-PH3-6B | #3       | 6                 | 10-1/2              |
| ST-PH4-8B | #4       | 8                 | 12-1/2              |

## 5 PIECE CABINET TIP SCREWDRIVER SET

### Item #: ST-5C

• Weight (lbs): 0.52



| Contents | Tip Size | Shank Length (in) | Overall Length (in) |
|----------|----------|-------------------|---------------------|
| ST-252C  | 3/32     | 1-59/64           | 5-13/16             |
| ST-353C  | 9/64     | 3                 | 7                   |
| ST-555C  | 3/16     | 4-7/8             | 6                   |
| ST-656C  | 1/4      | 6                 | 10-1/2              |
| ST-65SH  | 1/4      | 1-1/4             | 3-1/2               |

## 6 PIECE POZIDRIV® SET

### Item #: ST-6PZ

• Weight (lbs): 1.47



| Contents  | Tip Size | Shank Length (in) | Overall Length (in) |
|-----------|----------|-------------------|---------------------|
| ST-PZ0-3  | PZ0      | 2-57/64           | 6-7/8               |
| ST-PZ1-4  | PZ1      | 3-53/64           | 8                   |
| ST-PZ2-5  | PZ2      | 4-57/64           | 9                   |
| ST-PZ2-5B | PZ2      | 4-31/32           | 9-1/8               |
| ST-PZ3-6B | PZ3      | 5-29/32           | 10-1/2              |
| ST-PZ4-8B | PZ4      | 7-13/16           | 12-3/8              |





## 11 PIECE TORX® SCREWDRIVER SET

Item #: ST-11T

• Weight (lbs): 1.22



| Contents | Tip Size | Shank Length (in) | Overall Length (in) |
|----------|----------|-------------------|---------------------|
| ST-T10-3 | T10      | 2-7/8             | 7                   |
| ST-T15-3 | T15      | 2-59/64           | 7                   |
| ST-T20-4 | T20      | 3-7/8             | 7-13/16             |
| ST-T25-4 | T25      | 3-55/64           | 8                   |
| ST-T27-4 | T27      | 3-57/64           | 8                   |
| ST-T30-5 | T30      | 4-57/64           | 9-1/2               |
| ST-T40-5 | T40      | 4-29/32           | 9-1/2               |
| ST-T6-2  | T6       | 1-15/16           | 5-13/16             |
| ST-T7-2  | T7       | 1-61/64           | 5-13/16             |
| ST-T8-2  | T8       | 1-29/32           | 5-13/16             |
| ST-T9-3  | T9       | 2-59/64           | 6-1/2               |

## 7 PIECE TAMPER RESISTANT TORX® SCREWDRIVER SET

Item #: ST-7TT

• Weight (lbs): 1.06



| Contents  | Tip Size | Shank Length (in) | Overall Length (in) |
|-----------|----------|-------------------|---------------------|
| ST-TT10-3 | TT10     | 2-57/64           | 7                   |
| ST-TT15-3 | TT15     | 2-59/64           | 7                   |
| ST-TT20-4 | TT20     | 3-7/8             | 8                   |
| ST-TT25-4 | TT25     | 3-57/64           | 8                   |
| ST-TT27-4 | TT27     | 3-29/32           | 8                   |
| ST-TT30-5 | TT30     | 4-57/64           | 9-1/2               |
| ST-TT40-5 | TT40     | 4-3/32            | 9-1/2               |

## SLOTTED SCREWDRIVERS



| Tips     | Tip Size | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No.   |
|----------|----------|----------------|-------------------|---------------------|--------------|------------|
| Slotted  | 1/8      | 1/8            | 2-7/8             | 6-3/4               | 0.04         | ST-303S    |
| Slotted  | 5/32     | 5/32           | 3-31/64           | 7-7/8               | 0.09         | ST-404S    |
| Slotted  | 7/32     | 7/32           | 5                 | 9-1/8               | 0.15         | ST-555S    |
| Slotted  | 1/4      | 1/4            | 4-57/64           | 9-1/2               | 0.23         | ST-655S    |
| Slotted  | 5/16     | 5/16           | 6-61/64           | 11-1/2              | 0.35         | ST-807S    |
| Slotted* | 1/4      | 1/4            | 6                 | 10-1/2              | 0.26         | ST-656SB   |
| Slotted* | 3/8      | 3/8            | 8                 | 12-1/2              | 0.46         | ST-1008SB  |
| Slotted* | 1/2      | 1/2            | 10                | 14-1/2              | 0.59         | ST-12010SB |

ASME B107.600

\*Feature Hex Bolsters

## SLOTTED - CABINET TIP SCREWDRIVERS



| Tips    | Tip Size | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No. |
|---------|----------|----------------|-------------------|---------------------|--------------|----------|
| Cabinet | 3/32     | 3/32           | 1-59/64           | 5-13/16             | 0.04         | ST-252C  |
| Cabinet | 9/64     | 9/64           | 3                 | 7                   | 0.07         | ST-353C  |
| Cabinet | 3/16     | 3/16           | 4-7/8             | 6                   | 0.16         | ST-555C  |
| Cabinet | 1/4      | 1/4            | 6                 | 10-1/2              | 0.26         | ST-656C  |

ASME B107.600

**Blackhawk**  
BY PROTO

Blackhawk™ by Proto® not available in all countries.

SCREWDRIVERS & BITS

SCREWDRIVERS



## PHILLIPS® SCREWDRIVERS



| Tips       | Tip Size | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No.  |
|------------|----------|----------------|-------------------|---------------------|--------------|-----------|
| Phillips®  | #00      | 3/32           | 1-15/16           | 5-13/16             | 0.04         | ST-PH00-2 |
| Phillips®  | #0       | 9/64           | 2-15/16           | 7                   | 0.09         | ST-PH0-3  |
| Phillips®  | #1       | 5/32           | 7-59/64           | 8                   | 0.13         | ST-PH1-4  |
| Phillips®  | #2       | 13/64          | 4-57/64           | 9                   | 0.17         | ST-PH2-5  |
| Phillips®* | #2       | 13/64          | 5                 | 9                   | 0.19         | ST-PH2-5B |
| Phillips®* | #3       | 1/4            | 6                 | 10-1/2              | 0.35         | ST-PH3-6B |
| Phillips®* | #4       | 21/64          | 8                 | 12-1/2              | 0.53         | ST-PH4-8B |

ASME B107.600

\*Feature Hex Bolsters

## POZIDRIV® SCREWDRIVERS



| Tips       | Tip Size | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No.  |
|------------|----------|----------------|-------------------|---------------------|--------------|-----------|
| Pozidriv®  | PZ0      | 1/8            | 2-57/64           | 6-7/8               | 0.09         | ST-PZ0-3  |
| Pozidriv®  | PZ1      | 9/64           | 3-53/64           | 8                   | 0.13         | ST-PZ1-4  |
| Pozidriv®  | PZ2      | 3/16           | 4-57/64           | 9                   | 0.17         | ST-PZ2-5  |
| Pozidriv®* | PZ2      | 3/16           | 4-31/32           | 9-1/8               | 0.19         | ST-PZ2-5B |
| Pozidriv®* | PZ3      | 1/4            | 5-29/32           | 10-1/2              | 0.36         | ST-PZ3-6B |
| Pozidriv®* | PZ4      | 21/64          | 7-13/16           | 12-3/8              | 0.53         | ST-PZ4-8B |

ASME B107.600

\*Feature Hex Bolsters

## TORX® SCREWDRIVERS



| Tips  | Tip Size | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No. |
|-------|----------|----------------|-------------------|---------------------|--------------|----------|
| Torx® | T6       | 1/16           | 1-15/16           | 5-13/16             | 0.04         | ST-T6-2  |
| Torx® | T7       | 5/64           | 1-61/64           | 5-13/16             | 0.04         | ST-T7-2  |
| Torx® | T8       | 5/64           | 1-29/32           | 5-13/16             | 0.04         | ST-T8-2  |
| Torx® | T9       | 5/64           | 2-59/64           | 6-1/2               | 0.04         | ST-T9-3  |
| Torx® | T10      | 3/32           | 2-7/8             | 7                   | 0.07         | ST-T10-3 |
| Torx® | T15      | 7/64           | 2-59/64           | 7                   | 0.07         | ST-T15-3 |
| Torx® | T20      | 9/64           | 3-7/8             | 7-13/16             | 0.09         | ST-T20-4 |
| Torx® | T25      | 5/32           | 3-55/64           | 8                   | 0.14         | ST-T25-4 |
| Torx® | T27      | 11/64          | 3-57/64           | 8                   | 0.15         | ST-T27-4 |
| Torx® | T30      | 3/16           | 4-57/64           | 9-1/2               | 0.24         | ST-T30-5 |
| Torx® | T40      | 15/64          | 4-29/32           | 9-1/2               | 0.28         | ST-T40-5 |

ASME B107.600

## TAMPER RESISTANT TORX® SCREWDRIVERS



| Tips         | Tip Size | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No.  |
|--------------|----------|----------------|-------------------|---------------------|--------------|-----------|
| Tamper Torx® | TT10     | 3/32           | 2-57/64           | 7                   | 0.07         | ST-TT10-3 |
| Tamper Torx® | TT15     | 7/64           | 2-59/64           | 7                   | 0.08         | ST-TT15-3 |
| Tamper Torx® | TT20     | 9/64           | 3-7/8             | 8                   | 0.1          | ST-TT20-4 |
| Tamper Torx® | TT25     | 5/32           | 3-57/64           | 8                   | 0.14         | ST-TT25-4 |
| Tamper Torx® | TT27     | 11/64          | 3-29/32           | 8                   | 0.15         | ST-TT27-4 |
| Tamper Torx® | TT30     | 3/16           | 4-57/64           | 9-1/2               | 0.25         | ST-TT30-5 |
| Tamper Torx® | TT40     | 15/64          | 4-3/32            | 9-1/2               | 0.28         | ST-TT40-5 |

ASME B107.600

Phillips® is trademark of Phillips Screw Company  
 Pozidriv® is trademark of Phillips Screw Company  
 Torx® is a trademark of Acument Intellectual Properties, LLC.

1-800-800-TOOL • FAX: 1-770-648-9108 • WWW.STANLEYPROTO.COM



WARNING: WORK SAFELY WITH TOOLS, WEAR SAFETY GOGGLES



## STUBBY SCREWDRIVERS



| Tips      | Tip Size | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No.  |
|-----------|----------|----------------|-------------------|---------------------|--------------|-----------|
| Slotted   | 1/4      | 1/4            | 1-1/4             | 3-1/2               | 0.09         | ST-65SH   |
| Phillips® | #1       | 5/32           | 1-1/8             | 3-1/2               | 0.08         | ST-PH1-SH |
| Phillips® | #2       | 3/16           | 1-9/64            | 3-1/2               | 0.09         | ST-PH2-SH |

ASME B107.600

## 1/4" DRIVE SOCKET SPINNER



| Tips      | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No. |
|-----------|----------------|-------------------|---------------------|--------------|----------|
| Ball Lock | 1/4            | 1-31/32           | 6-1/8               | 0.15         | ST-SS1   |

## BIT DRIVER

- Accepts 1/4" standard bits



| Tips | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No. |
|------|----------------|-------------------|---------------------|--------------|----------|
|      | 25/64          | 4-59/64           | 9                   | 0.22         | ST-BD1   |

## OFFSET SCREWDRIVERS



| Tips    | Tip Size | Tip Width (in) | Shank Length (in) | Overall Length (in) | Weight (lbs) | Item No. |
|---------|----------|----------------|-------------------|---------------------|--------------|----------|
| Slotted | 0.038    | 15/64          | 2-37/64           | 2-61/64             | 0.03         | ST-1183  |
| Slotted | 0.046    | 5/16           | 3-45/64           | 3-57/64             | 0.04         | ST-1184  |
| Slotted | 0.049    | 13/32          | 4-3/32            | 4-5/8               | 0.08         | ST-1185  |

## SCREW STARTERS



| Tips      | Tip Width (in) | Overall Length (in) | Weight (lbs) | Item No. |
|-----------|----------------|---------------------|--------------|----------|
| Slotted   | 9/32           | 2-1/2               | 0.02         | ST-1166  |
| Slotted   | 9/32           | 5-1/2               | 0.04         | ST-1167  |
| Slotted   | 9/32           | 9-1/2               | 0.06         | ST-1168  |
| Phillips® | 9/32           | 5-3/4               | 0.04         | ST-1171  |

**Blackhawk**  
BY PROTO

Phillips® is trademark of Phillips Screw Company

Blackhawk™ by Proto® not available in all countries.



## 8 PIECE STANDARD NUTDRIVER INCH SET - 6 POINT

Item #: **ST-828**

• Weight (lbs): 2.0



| Contents | Size (in) | Shank Length (in) | Overall Length (in) |
|----------|-----------|-------------------|---------------------|
| ST-800   | 3/16      | 3-11/64           | 7-3/8               |
| ST-801   | 9/32      | 3-13/64           | 7-3/8               |
| ST-803   | 1/4       | 3-3/16            | 7-3/8               |
| ST-806   | 5/16      | 3-5/32            | 7-3/8               |
| ST-809   | 11/32     | 3-3/16            | 7-3/8               |
| ST-812   | 3/8       | 3-13/64           | 7-3/8               |
| ST-815   | 7/16      | 3-5/32            | 7-3/8               |
| ST-818   | 1/2       | 3-11/64           | 7-3/8               |

## 9 PIECE METRIC NUTDRIVER SET - 6 POINT

Item #: **ST-829M**

• Weight (lbs): 2.22



| Contents | Size (mm) | Shank Length (in) | Overall Length (in) |
|----------|-----------|-------------------|---------------------|
| ST-904M  | 4 mm      | 3-5/32            | 7-3/8               |
| ST-905M  | 5 mm      | 3-9/64            | 7-3/8               |
| ST-955M  | 5.5 mm    | 3-9/64            | 7-3/8               |
| ST-907M  | 7 mm      | 3-11/64           | 7-3/8               |
| ST-908M  | 8 mm      | 3-11/64           | 7-3/8               |
| ST-909M  | 9 mm      | 3-5/32            | 7-3/8               |
| ST-910M  | 10 mm     | 3-3/16            | 7-3/8               |
| ST-911M  | 11 mm     | 3-5/32            | 7-3/8               |
| ST-912M  | 12 mm     | 3-5/32            | 7-3/8               |

## STANDARD NUTDRIVERS

• Solid shaft



| Size (in) | Working End Diameter (in) | Overall Length (in) | Weight (lbs) | Item No. |
|-----------|---------------------------|---------------------|--------------|----------|
| 3/16      | 11/32                     | 7-3/8               | 0.26         | ST-800   |
| 9/32      | 27/64                     | 7-3/8               | 0.25         | ST-801   |
| 1/4       | 25/64                     | 7-3/8               | 0.25         | ST-803   |
| 5/16      | 15/32                     | 7-3/8               | 0.26         | ST-806   |
| 11/32     | 1/2                       | 7-3/8               | 0.26         | ST-809   |
| 3/8       | 17/32                     | 7-3/8               | 0.31         | ST-812   |
| 7/16      | 19/32                     | 7-3/8               | 0.31         | ST-815   |
| 1/2       | 43/64                     | 7-3/8               | 0.31         | ST-818   |

ASME B107.12

## METRIC NUTDRIVERS

• Solid shaft



| Size (mm) | Working End Diameter (in) | Overall Length (in) | Weight (lbs) | Item No. |
|-----------|---------------------------|---------------------|--------------|----------|
| 4 mm      | 5/16                      | 7-3/8               | 0.25         | ST-904M  |
| 5 mm      | 11/32                     | 7-3/8               | 0.25         | ST-905M  |
| 5.5 mm    | 11/32                     | 7-3/8               | 0.24         | ST-955M  |
| 7 mm      | 27/64                     | 7-3/8               | 0.25         | ST-907M  |
| 8 mm      | 15/32                     | 7-3/8               | 0.26         | ST-908M  |
| 9 mm      | 1/2                       | 7-3/8               | 0.25         | ST-909M  |
| 10 mm     | 35/64                     | 7-3/8               | 0.3          | ST-910M  |
| 11 mm     | 19/32                     | 7-3/8               | 0.31         | ST-911M  |
| 12 mm     | 5/8                       | 7-3/8               | 0.31         | ST-912M  |

NUTDRIVERS



**13 PIECE STANDARD HEX WRENCH SET**

**Item #: ZW-53**

• Weight (lbs): 0.62



| Size (in) | Short Arm (in) | Long Arm (in) |
|-----------|----------------|---------------|
| .050      | 0.5            | 1.6           |
| 1/16      | 0.6            | 1.7           |
| 5/64      | 0.6            | 1.8           |
| 3/32      | 0.6            | 2.0           |
| 7/64      | 0.7            | 2.1           |
| 1/8       | 0.7            | 2.2           |
| 9/64      | 0.8            | 2.4           |
| 5/32      | 0.8            | 2.5           |
| 3/16      | 0.9            | 2.7           |
| 7/32      | 1.0            | 2.9           |
| 1/4       | 1.1            | 3.2           |
| 5/16      | 1.2            | 3.6           |
| 3/8       | 1.3            | 4.1           |

**13 PIECE STANDARD LONG HEX KEY WRENCH SET**

**Item #: ZW-59**

• Weight (lbs): 0.86



| Size (in) | Short Arm (in) | Long Arm (in) |
|-----------|----------------|---------------|
| .050      | 0.6            | 2.8           |
| 1/16      | 0.6            | 3.0           |
| 5/64      | 0.6            | 3.0           |
| 3/32      | 0.7            | 3.4           |
| 7/64      | 0.7            | 3.5           |
| 1/8       | 0.7            | 3.7           |
| 9/64      | 0.8            | 3.9           |
| 5/32      | 0.8            | 4.1           |
| 3/16      | 0.9            | 4.5           |
| 7/32      | 1.0            | 4.8           |
| 1/4       | 1.1            | 5.2           |
| 5/16      | 1.2            | 5.8           |
| 3/8       | 1.4            | 6.6           |

**9 PIECE METRIC HEX KEY WRENCH SET**

**Item #: ZW-69**


• Weight (lbs): 0.53



| Size (mm) | Short Arm (mm) | Long Arm (mm) |
|-----------|----------------|---------------|
| 1.5       | 13.1           | 43.1          |
| 2.0       | 14.8           | 47.8          |
| 2.5       | 17.1           | 53.1          |
| 3.0       | 18.5           | 60.8          |
| 4.0       | 23.4           | 66.6          |
| 5.0       | 27.3           | 76.2          |
| 6.0       | 30.9           | 87.0          |
| 8.0       | 34.5           | 95.9          |
| 10.0      | 37.5           | 105.4         |







## MULTI-BIT RATCHETING SCREWDRIVER

### Item #: 9000R-2

- 72 tooth reverse ratcheting mechanism. Magnetic bit holder. Pivoting handle allows straight or pistol grip. Bit storage in handle for 6 additional insert bits (included).
- Bits Included: PH1, PH2, PZ1, PZ2, 5/32, 7/32, 1/4

| Shank Length (in) | Overall Length (in) | Weight (lbs) |
|-------------------|---------------------|--------------|
| 5-1/32            | 9                   | 0.78         |



## 360 PIECE INSERT BIT SET

### Item #: BI-360S

- Bulk Insert bit set providing the most popular sizes in high quantities.
- Weight (lbs): 5.09



| Contents                     | Piece Count |
|------------------------------|-------------|
| PH1~3                        | 60          |
| PZ1~3                        | 60          |
| Hex 4, 5, 6                  | 60          |
| FD4, 5.5, 6.5                | 60          |
| Torx® 10, 15, 20, 25, 30, 40 | 120         |

## 180 PIECE INSERT BIT SET

### Item #: BI-180S

- Bulk Insert bit set providing the most popular sizes in high quantities.
- Weight (lbs): 3.08



| Contents                     | Piece Count |
|------------------------------|-------------|
| PH1~3                        | 30          |
| PZ1~3                        | 30          |
| Hex 4, 5, 6                  | 30          |
| FD4, 5.5, 6.5                | 30          |
| Torx® 10, 15, 20, 25, 30, 40 | 60          |



**6 PIECE MAGNETIC NUTSETTER SET - SAE**

**Item #: BI-NS6**

- Magnetic fractional nutsetter containing sizes 5/16 through 3/8.
- Weight (lbs): 0.67



| Contents                        | Piece Count |
|---------------------------------|-------------|
| 5/16, 1/2, 1/4, 7/16, 7/32, 3/8 | 6           |

**6 PIECE MAGNETIC NUTSETTER SET - METRIC**

**Item #: BI-NS6M**

- Magnetic metric nutsetter containing sizes 5.5 through 13mm.
- Weight (lbs): 0.70



| Contents              | Piece Count |
|-----------------------|-------------|
| 5.5, 6, 8, 10, 12, 13 | 6           |

**101 PIECE INSERT BIT SET**

**Item #: BI-101S**

- Bulk Insert bit set providing the most popular sizes in high quantities.
- Weight (lbs): 2.38



| Contents                                     | Piece Count |
|--|-------------|
| PH0~4  | 5           |
| Slotted 1/8, 5/32, 3/16, 7/32, 1/4, 9/32     | 6           |
| Clutch 5/32, 3/16, 1/4                       | 3           |
| PZ 0~4                                       | 5           |
| Sit 10~40                                    | 6           |
| Spline 5, 6, 8                               | 3           |
| TX6, 8, 10, 15, 20, 25, 27, 30, 40, 45       | 10          |
| RB0~3  | 4           |
| TT6, 8, 10, 15, 20, 25, 27, 30, 40, 45       | 10          |
| Spanner 4, 6, 8, 10                          | 4           |
| Hex 1.5, 2, 2.5, 3, 4, 5, 6                  | 7           |
| HT 1.5, 2, 2.5, 3, 4, 5, 6                   | 7           |
| Torx® Plus 10, 15, 20, 25, 27, 30, 40        | 7           |
| Torx® Plus Tamper 10, 15, 20, 25, 27, 30, 40 | 7           |
| T-tap 10, 15, 20, 25, 30                     | 5           |
| Tri-wing 1, 2, 3, 4, 5                       | 5           |
| Torq-Set 4, 6, 8, 10                         | 4           |
| Quick-Release Socket 1/4 x 1/4 x 30mm        | 1           |
| Quick-Release Bit Holder 1/4 x 51mm          | 1           |
| Magnetic Bit Holder 1/4 x 75mm               | 1           |



## 10 PIECE INSERT BIT SET

### Item #: BI-10SS

- Portable bit set with plastic carrier.
- Weight (lbs): 0.27



| Contents                            | Piece Count |
|-------------------------------------|-------------|
| PH1~3                               | 30          |
| PZ1~3                               | 30          |
| Slotted 4, 5.5, 6.5                 | 30          |
| Quick-Release Bit Holder 1/4 x 51mm | 1           |

## 25 PIECE BELT CLIP BIT SET

### Item #: BI-25S

- Portable bit set with plastic carrier and belt clip.
- Weight (lbs): 0.44



| Contents                     | Piece Count |
|------------------------------|-------------|
| PH1~3                        | 3           |
| PZ1~3 3                      | 3           |
| RB1~3                        | 3           |
| Slotted 4.5, 5.5, 6.5        | 3           |
| Torx® 10, 15, 20, 25, 30, 40 | 6           |
| Hex 1.5, 2, 2.5, 3, 4, 5, 6  | 7           |

## 11 PIECE TORX® BIT SET

### Item #: BI-11TS

- Portable bit set with plastic carrier.
- Weight (lbs): 0.31



| Contents                                    | Piece Count |
|---|-------------|
| Torx® Plus 8, 9, 10, 15, 20, 25, 27, 30, 40 | 9           |
| Magnetic Bit Socket 1/4 x 1/4 x 25mm        | 1           |
| Quick-Release Bit Holder 1/4 x 51mm         | 1           |

## 31 PIECE INSERT BIT SET

### Item #: BI-31S

- Portable bit set with plastic carrier and belt clip.
- Weight (lbs): 0.57



| Contents                               | Piece Count |
|--|-------------|
| PH1~3                                  | 3           |
| PZ1~3 3                                | 3           |
| Torx® 6, 8, 10, 15, 20, 25, 27, 30, 40 | 9           |
| Slotted 3.5, 4.5, 5, 5.5, 6.5, 8       | 6           |
| Hex 2, 3, 4, 5, 6, 8                   | 6           |
| RB1~3                                  | 3           |
| Quick-Release Bit Holder 1/4 x 60mm    | 1           |



## 40 PIECE INSERT BIT SET

Item #: 940-JS

• Weight (lbs): 2.0



| Contents | Description           |
|----------|-----------------------|
| 9000-A   | Adapter Socket        |
| 900-20   | # 0 Point Phillips®   |
| 900-21   | # 1 Point Phillips®   |
| 900-22   | # 2 Point Phillips®   |
| 900-23   | # 3 Point Phillips®   |
| 900-51   | Phillips® ARC, #1     |
| 900-52   | Phillips® ARC, #2     |
| 900-53   | Phillips® ARC, #3     |
| 900-0    | Slotted 7/64"         |
| 900-5    | Slotted 7/32"         |
| 900-1    | Slotted 1/8"          |
| 900-2    | Slotted 9/64"         |
| 900-8    | Slotted 5/16"         |
| 900-3    | Slotted 5/32"         |
| 900-4    | Slotted 3/16"         |
| 900-6    | Slotted 1/4"          |
| 900-7    | Slotted 9/32"         |
| 900-30   | Square Head, #0       |
| 900-31   | Square Head, #1       |
| 900-32   | Square Head, #2       |
| 900-33   | Square Head, #3       |
| 900-40   | Reed Prince #0 (Pozi) |
| 900-41   | Reed Prince #1 (Pozi) |
| 900-42   | Reed Prince #2 (Pozi) |
| 900-43   | Reed Prince #3 (Pozi) |
| 900-60   | Hex Bit, 5/64"        |
| 900-61   | Hex Bit, 1/8"         |
| 900-62   | Hex Bit, 5/32"        |
| 900-63   | Hex Bit, 3/16"        |
| 900-64   | Hex Bit, 1/4"         |
| 9000-T6  | Torx® Bit T6          |
| 9000-T7  | Torx® Bit T7          |
| 9000-T8  | Torx® Bit T8          |
| 9000-T10 | Torx® Bit T10         |
| 9000-T15 | Torx® Bit T15         |
| 9000-T20 | Torx® Bit T20         |
| 9000-T25 | Torx® Bit T25         |
| 9000-T27 | Torx® Bit T27         |
| 9000-T30 | Torx® Bit T30         |
| 9000-T40 | Torx® Bit T40         |

## INSERT BITS



| Description           | Weight (lbs) | Item No.  |
|-----------------------|--------------|-----------|
| Adapter Socket        | 0.01         | 9000-A    |
| # 0 Point Phillips®   | 0.01         | 900-20    |
| # 1 Point Phillips®   | 0.01         | 900-21    |
| # 2 Point Phillips®   | 0.01         | 900-22    |
| # 3 Point Phillips®   | 0.01         | 900-23    |
| Phillips® ARC, #1     | 0.01         | 900-51    |
| Phillips® ARC, #2     | 0.01         | 900-52    |
| Phillips® ARC, #3     | 0.01         | 900-53    |
| Slotted 7/64"         | 0.01         | 900-0     |
| Slotted 7/32"         | 0.01         | 900-5     |
| Slotted 1/8"          | 0.01         | 900-1     |
| Slotted 9/64"         | 0.01         | 900-2     |
| Slotted 5/16"         | 0.01         | 900-8     |
| Slotted 5/32"         | 0.01         | 900-3     |
| Slotted 3/16"         | 0.01         | 900-4     |
| Slotted 1/4"          | 0.01         | 900-6     |
| Slotted 9/32"         | 0.01         | 900-7     |
| Square Head, #0       | 0.01         | 900-30    |
| Square Head, #1       | 0.01         | 900-31    |
| Square Head, #2       | 0.01         | 900-32    |
| Square Head, #3       | 0.01         | 900-33    |
| Reed Prince #0 (Pozi) | 0.01         | 900-40    |
| Reed Prince #1 (Pozi) | 0.01         | 900-41    |
| Reed Prince #2 (Pozi) | 0.01         | 900-42    |
| Reed Prince #3 (Pozi) | 0.01         | 900-43    |
| Tamper Resistant T10  | 0.01         | 9000-TP10 |
| Tamper Resistant T15  | 0.01         | 9000-TP15 |
| Tamper Resistant T20  | 0.01         | 9000-TP20 |
| Tamper Resistant T25  | 0.01         | 9000-TP25 |
| Tamper Resistant T27  | 0.01         | 9000-TP27 |
| Hex Bit, 5/64"        | 0.01         | 900-60    |
| Hex Bit, 1/8"         | 0.01         | 900-61    |
| Hex Bit, 5/32"        | 0.01         | 900-62    |
| Hex Bit, 3/16"        | 0.01         | 900-63    |
| Hex Bit, 1/4"         | 0.01         | 900-64    |
| Torx® Bit T6          | 0.01         | 9000-T6   |
| Torx® Bit T7          | 0.01         | 9000-T7   |
| Torx® Bit T8          | 0.01         | 9000-T8   |
| Torx® Bit T10         | 0.01         | 9000-T10  |
| Torx® Bit T15         | 0.01         | 9000-T15  |
| Torx® Bit T20         | 0.01         | 9000-T20  |
| Torx® Bit T25         | 0.01         | 9000-T25  |
| Torx® Bit T27         | 0.01         | 9000-T27  |
| Torx® Bit T30         | 0.01         | 9000-T30  |
| Torx® Bit T40         | 0.01         | 9000-T40  |
| 3/8" Hex Bit Holder   | 0.01         | 9000HB    |

**Blackhawk**  
BY PROTO

Phillips® is trademark of Phillips Screw Company  
Torx® is a trademark of Acument Intellectual Properties, LLC.

Blackhawk™ by Proto® not available in all countries.

SCREWDRIVERS  
& BITS

INSERT BITS

