

## FEATURES & BENEFITS – STANLEY® FATMAX® CHISELS WITH BI-MATERIAL HAND GUARD

- Ergonomic, Bi-Material hand guard helps protect from overstrike, reduces slipping and absorbs vibrations.
- One-piece construction forged for strength.
- 1" heat-treated tip allows for additional sharpening.
- Hardened, quenched and tempered for long life and durability.
- Powder-coated finish for easy visibility.



### STANLEY® FATMAX® COLD CHISEL WITH BI-MATERIAL HAND GUARD

- Used for cutting/shaping wrought iron, cast-iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets.

Product #	Blade Width	Overall Length
16-332	1 in (25 mm)	12 in (305 mm)



STANLEY  
FatMax

### STANLEY® FATMAX® BRICK SETS WITH BI-MATERIAL HAND GUARD

- Used for cutting brick and masonry.

Product #	Blade Width	Length
16-327	3 in (76 mm)	8-3/8 in (213 mm)
16-328	4 in (102 mm)	8-1/2 in (216 mm)



STANLEY  
FatMax

### STANLEY® FATMAX® CONCRETE CHISEL WITH BI-MATERIAL HAND GUARD

- Used for cutting through and breaking up concrete.
- Durable bull point that cuts fast and lasts long.

Product #	Blade Width	Length
16-329	3/4 in (19 mm)	12 in (305 mm)



STANLEY  
FatMax

### STANLEY® FATMAX® FLOOR CHISEL WITH BI-MATERIAL HAND GUARD

- Used for cutting, prying or ripping of hardwood flooring and nails.
- Designed with offset blade and short bite for leverage.

Product #	Blade Width	Length
16-331	3 in (76 mm)	11 in (279 mm)



STANLEY  
FatMax

### STANLEY® FATMAX® MASON'S CHISEL WITH BI-MATERIAL HAND GUARD

- Used for cutting and splitting hard stone, brick and concrete.

Product #	Blade Width	Length
16-334	2-3/4 in (70 mm)	8-3/8 in (213 mm)



STANLEY  
FatMax


## FEATURES & BENEFITS – STANLEY® COLD CHISELS

- Forged, one-piece construction from chrome vanadium steel for increased strength and durability.
- Size marking on shank allows for easy identification of the tool.
- Yellow powder coated finish for high visibility and to provide corrosion resistance.
- Striking surface is hardened and has chamfered edges for greater chipping resistance.
- Cutting edge is ground to a precise angle for efficient cutting and durability.



## STANLEY® COLD CHISELS

- Used for cutting/shaping wrought iron, cast-iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets.



Product #	Blade Width	Length
16-286	3/8 in (10 mm)	5-9/16 in (141 mm)
16-287	1/2 in (13 mm)	6 in (152 mm)
16-288	5/8 in (16 mm)	6-3/4 in (171 mm)
16-289	3/4 in (19 mm)	6-7/8 in (175 mm)
16-290	7/8 in (22 mm)	8 in (203 mm)
16-291	1 in (25 mm)	12 in (305 mm)
16-292 (Flat)	1-1/4 in (32 mm)	12 in (305 mm)

## STANLEY® BRICK SETS

- Used for cutting and splitting brick and concrete.

Product #	Blade Width	Length
16-296	3 in (76 mm)	8-1/2 in (216 mm)
16-297	4 in (102 mm)	8-1/2 in (216 mm)



## STANLEY® MASON'S CHISELS

- Used for cutting and splitting hard stone, brick and concrete.

Product #	Blade Width	Length
16-294	1-3/4 in (44 mm)	8-1/2 in (216 mm)
16-295	2-3/4 in (70 mm)	8-1/2 in (216 mm)



## STANLEY® FLOOR CHISEL

- Used for cutting, prying or ripping hardwood flooring and nails.
- Designed with offset blade and short bite for leverage.

Product #	Blade Width	Length
16-293	3 in (76 mm)	11 in (279 mm)



## FEATURES & BENEFITS – STANLEY® PUNCHES

- Forged, one-piece construction from chrome vanadium steel for increased strength and durability.
- Size marking on shank allows for easy identification of the tool.
- Yellow powder coated finish for high visibility and to provide corrosion resistance.
- Striking surface is hardened and has chamfered edges for greater chipping resistance.
- Punch edge is ground to a precise angle for efficient punching and durability.



### STANLEY® CENTER PUNCHES

- Used for marking intersecting center lines, hole locations and pilot drill starting points.


Product #	Length	Point Diameter
16-227	4 in (102 mm)	1/4 in (6 mm)
16-228	4-1/2 in (114 mm)	5/16 in (8 mm)



### STANLEY® STARTER PUNCH

- Used for installing pins, rivets, and for starting their removal.

Product #	Length	Point Diameter
16-229	5-1/2 in (140 mm)	3/32 in (2 mm)



### STANLEY® PIN PUNCHES

- Used for driving out and removing already loosened pins and keys after initial movement by a solid punch.

Product #	Length	Point Diameter
16-230	6 in (152 mm)	1/16 in (2 mm)
16-231	6 in (152 mm)	1/8 in (3 mm)
16-233	6 in (152 mm)	3/16 in (5 mm)
16-234	6 in (152 mm)	1/4 in (6 mm)
16-235	6 in (152 mm)	5/16 in (8 mm)



### STANLEY® PRICK PUNCH

- Used in sheet metal layout work for scribing and for punching starting holes for sheet metal screws.

Product #	Length	Point Diameter
16-236	5-1/2 in (140 mm)	3/8 in (10 mm)



### 3 PIECE STANLEY® COLD CHISEL SET

Product #: 16-298

- Ideal for starting drill holes, marking metal or cutting/splitting hard stone, brick and concrete.
- Includes reusable packaging for storing products.

Contents	Description
16-286	3/8 in (10 mm) x 5-9/16 in (141 mm) Blade Width x Length
16-287	1/2 in (13 mm) x 6 in (152 mm) Blade Width x Length
16-288	5/8 (16 mm) x 6-3/4 in (171 mm) Blade Width x Length



## 6 PIECE STANLEY® PIN PUNCH SET

Product #: 16-226

- Ideal for starting drill holes, marking metal or cutting/splitting hard stone, brick and concrete.
- Include reusable packaging for storing products.

Contents	Description
16-230	1/16 in (1.5 mm) x 6 in (152 mm) Point Diameter x Length
16-231	1/8 in (3 mm) x 6 in (152 mm) Point Diameter x Length
16-232	5/32 in (4 mm) x 6 in (152 mm) Point Diameter x Length
16-233	3/16 in (5 mm) x 6 in (152 mm) Point Diameter x Length
16-234	1/4 in (6 mm) x 6 in (152 mm) Point Diameter x Length
16-235	5/16 in (8 mm) x 6 in (152 mm) Point Diameter x Length



## 12 PIECE STANLEY® PUNCH AND CHISEL SET

Product #: 16-299

- Ideal for starting drill holes, marking metal or cutting/splitting hard stone, brick and concrete.
- Includes reusable packaging for storing products.

Contents	Description
16-227	1/4 in (6 mm) x 4 in (102 mm) Blade Width x Length
16-228	5/16 in (8 mm) x 4-1/2 in (114 mm) Blade Width x Length
16-229	3/32 in (2 mm) x 5-1/2 in (140 mm) Blade Width x Length
16-230	1/16 in (1.5 mm) x 6 in (152 mm) Point Diameter x Length
16-231	1/8 in (3 mm) x 6 in (152 mm) Point Diameter x Length
16-232	5/32 in (4 mm) x 6 in (152 mm) Point Diameter x Length
16-233	3/16 in (5 mm) x 6 in (152 mm) Point Diameter x Length
16-234	1/4 in (6 mm) x 6 in (152 mm) Point Diameter x Length
16-235	5/16 in (8 mm) x 6 in (152 mm) Point Diameter x Length
16-286	3/8 x 5-9/16 in (10 x 141 mm) Blade Width x Length
16-287	1/2 x 6 in (13 x 152 mm) Blade Width x Length
16-288	5/8 x 6-3/4 in (16 x 171 mm) Blade Width x Length



## FEATURES & BENEFITS – STANLEY® SWEETHEART SOCKET CHISELS

- Classic 750 Series Design.
- Hornbeam wood handle for durability.
- Long blade is ideal for woodworkers.
- Thin blade design.
- High-carbon chrome steel with tapered bevel sides.
- Sets include high-quality leather pouch for storage.



## STANLEY® SWEETHEART SOCKET CHISELS

Product #	Blade Width	Length
16-781	1/8 in (4 mm)	8-1/2 in (216 mm)
16-782	1/4 in (6 mm)	8-1/2 in (216 mm)
16-784	3/8 in (10 mm)	9 in (229 mm)
16-785	1/2 in (13 mm)	9 in (229 mm)
16-786	5/8 in (17 mm)	9-1/8 in (232 mm)
16-787	3/4 in (18 mm)	9-7/16 in (240 mm)
16-788	1 in (25 mm)	9-7/8 in (251 mm)
16-789	1-1/4 in (32 mm)	10-1/4 in (260 mm)



## 8 PIECE STANLEY® SWEETHEART SOCKET CHISEL SET WITH POUCH

Product #: 16-793

Contents	Description
16-781	1/8 in (3 mm) x 8-1/2 in (216 mm) Blade Width x Length
16-782	1/4 in (6 mm) x 8-1/2 in (216 mm) Blade Width x Length
16-784	3/8 in (10 mm) x 9 in (229 mm) Blade Width x Length
16-785	1/2 in (13 mm) x 9 in (229 mm) Blade Width x Length
16-786	5/8 in (17 mm) x 9-1/8 in (232 mm) Blade Width x Length
16-787	3/4 in (18 mm) x 9-7/16 in (240 mm) Blade Width x Length
16-788	1 in (25 mm) x 9-7/8 in (250 mm) Blade Width x Length
16-789	1-1/4 in (32 mm) x 10-1/4 in (260 mm) Blade Width x Length
	Pouch



## 4 PIECE STANLEY® SWEETHEART SOCKET CHISEL SET WITH POUCH

Product #: 16-791

Contents	Description
16-782	1/4 in (6 mm) x 8-1/2 in (216 mm) Blade Width x Length
16-785	1/2 in (13 mm) x 9 in (229 mm) Blade Width x Length
16-787	3/4 in (18 mm) x 9-7/16 in (240 mm) Blade Width x Length
	Pouch



## FEATURES & BENEFITS – STANLEY® FATMAX® CHISELS

- Thru-Tang™ steel core transfers strike-force from strike steel strike cap to tip.
- Hardened, tempered high-chrome carbon alloy steel blade for edge retention.
- Cutting edge is honed and ready for use right off the shelf.
- Precision ground blade is accurately sized and etched with blade size.
- Lacquered blade for corrosion protection.
- Ergonomically designed, Bi-Material grip handle is impact resistant.
- Included blade guard protects working edges of blade when not in use.



## STANLEY® FATMAX® CHISELS



Product #	Blade Width	Length
16-973	1/4 in (6 mm)	9 in (229 mm)
16-974	3/8 in (10 mm)	9 in (229 mm)
16-975	1/2 in (13 mm)	9 in (229 mm)
16-976	5/8 in (16 mm)	9 in (229 mm)
16-977	3/4 in (19 mm)	9 in (229 mm)
16-978	1 in (25 mm)	9 in (229 mm)
16-979	1-1/4 in (32 mm)	9 in (229 mm)
16-980	1-1/2 in (38 mm)	9 in (229 mm)
16-981	2 in (51 mm)	9 in (229 mm)



## 4 PIECE STANLEY® FATMAX® CHISEL SET

Product #: 16-971



Contents	Description
16-973	1/4 in (6 mm) x 9 in (229 mm) Blade Width x Length
16-975	1/2 in (13 mm) x 9 in (229 mm) Blade Width x Length
16-977	3/4 in (18 mm) x 9 in (229 mm) Blade Width x Length
16-978	1 in (25 mm) x 9 in (229 mm) Blade Width x Length
16-979	1-1/4 in (32 mm) x 9 in (229 mm) Blade Width x Length
16-980	1-1/2 in (38 mm) x 9 in (229 mm) Blade Width x Length

### 3 PIECE STANLEY® FATMAX® CHISEL SET



Product #: 16-970



Contents	Description
16-975	1/2 in (13 mm) x 9 in (229 mm) Blade Width x Length
16-977	3/4 in (18 mm) x 9 in (229 mm) Blade Width x Length
16-978	1 in (25 mm) x 9 in (229 mm) Blade Width x Length

### 5 PIECE STANLEY® BAILEY CHISEL SET

Product #: 16-401

- Micro-precision grind for superior sharpness out of the box.
- High-quality carbon-chrome steel for edge retention.
- Blade lacquered for corrosion protection.
- Hardwood handle for comfort and impact resistance.
- Includes high-quality leather pouch for storage.



Contents	Description
16-975	1/4 in (6 mm)
16-977	1/2 in (13 mm)
16-978	3/4 in (19 mm)
16-979	1 in (25 mm)
16-980	1-1/4 in (32 mm)

### FEATURES & BENEFITS – STANLEY® BI-MATERIAL WOOD CHISELS

- Hardened, tempered chrome carbon-steel blade for edge retention.
- Short series blade for strength and control.
- Lacquered blade for corrosion protection.
- Ergonomically designed, Bi-Material grip handle is impact resistant.
- Included blade guard protects working edges of blade when not in use.



### STANLEY® BI-MATERIAL WOOD CHISELS

Product #	Blade Width	Length
16-304	1/4 in (6 mm)	9-1/4 in (235 mm)
16-308	1/2 in (13 mm)	9-1/4 in (235 mm)
16-312	3/4 in (19 mm)	9-1/4 in (235 mm)
16-316	1 in (25 mm)	9-1/4 in (235 mm)
16-320	1-1/4 in (32 mm)	9-1/4 in (235 mm)
16-324	1-1/2 in (38 mm)	9-1/4 in (235 mm)



### 3 PIECE STANLEY® BI-MATERIAL WOOD CHISEL SET

Product #: 16-300

Contents	Description
16-308	1/2 in (13 mm) x 9-1/4 in (235 mm) Blade Width x Length
16-312	3/4 in (19 mm) x 9-1/4 in (235 mm) Blade Width x Length
16-316	1 in (25 mm) x 9-1/4 in (235 mm) Blade Width x Length



### 3 PIECE STANLEY® 150 SERIES WOOD CHISEL SET

Product #: 16-150

- Handle resists deformation, most solvents, and corrosive liquids.
- Carbon alloy steel blades are 3" (76mm) long.
- Precision ground blade with lacquered coating for corrosion protection.
- Cutting edge is honed and ready for use right off the shelf.
- Included blade guard protects working edges of blade when not in use.

Pieces	Description
3	1/2 in (13 mm) x 7-3/4 in (199 mm) Blade Width x Length 3/4 in (19 mm) x 7-3/4 in (199 mm) Blade Width x Length 1 in (25 mm) x 7-3/4 in (199 mm) Blade Width x Length



### STANLEY® SHARPENING SYSTEM

- Complete system for accurate and precise sharpening of chisel and plane cutter cutting edges.
- Guides user to achieve a precise sharp edge that is square to the blade.
- Features angle setting gauge with preset markings at the following angles for easy setup: 25°, 30°, and 35°.
- Suitable for use with chisel blades and plane cutters from 1/4" to 2-3/4" (4mm to 60mm).

Product #	Contents
16-050	(1) 7-7/8 in (200 mm) x 2 in (51 mm) Oilstone (1) White Oil (1) Honing Guide



### STANLEY® CUSHION GRIP NAIL CENTER SETS

- Ideal for setting nails into materials.
- Bi-Material grip is slip-resistant and ribbed to absorb shock.
- Long length for setting nails in hard-to-reach areas.
- Fully hardened, precision-milled steel for long life.
- Long, beveled tip for easy nail head alignment.
- Color coded by tip size for quick identification.
- Square head prevents rolling when set down.

Product #	Length	Tip Size
58-911	5 in (127 mm)	1/32 in (0.80 mm)
58-912	5 in (127 mm)	2/32 in (1.52 mm)
58-913	5 in (127 mm)	3/32 in (2.29 mm)




CHISELS, PUNCHES & NAIL SETS



### 3 PIECE STANLEY® CUSHION GRIP NAIL CENTER SET

Product #: 58-930

- Ideal for setting nails into materials.
- Bi-Material grip is slip-resistant and ribbed to absorb shock.
- Long length for setting nails in hard-to-reach areas.
- Fully hardened, precision-milled steel for long life.
- Long, beveled tip for easy nail head alignment.
- Color coded by tip size for quick identification.
- Square head prevents rolling when set down.



Contents	Description
58-911	1/32 in (0.80 mm) x 5 in (127 mm) Tip Size x Length
58-912	2/32 in (1.52 mm) x 5 in (127 mm) Tip Size x Length
58-913	3/32 in (2.29 mm) x 5 in (127 mm) Tip Size x Length

### STANLEY® SQUARE HEAD NAIL SETS

- Ideal for setting nails into materials.
- Long length for setting nails in hard-to-reach areas.
- Fully hardened, precision-milled steel for long life.
- Long, beveled tip for easy nail head alignment.
- Square head prevents rolling when set down.



Product #	Overall Length	Tip Size
58-111	4 in (101 mm)	1/32 in (0.80 mm)
58-112	4 in (101 mm)	2/32 in (1.52 mm)
58-113	4 in (101 mm)	3/32 in (2.29 mm)

### 3 PIECE STANLEY® SQUARE HEAD NAIL SET

Product #: 58-230

- Ideal for setting nails into materials.
- Long length for setting nails in hard-to-reach areas.
- Fully hardened, precision-milled steel for long life.
- Long, beveled tip for easy nail head alignment.
- Square head prevents rolling when set down.



Contents	Description
58-111	1/32 in (0.80 mm) x 4 in (101 mm) Tip Size x Length
58-112	2/32 in (1.52 mm) x 4 in (101 mm) Tip Size x Length
58-113	3/32 in (2.29 mm) x 4 in (101 mm) Tip Size x Length

### STANLEY® SELF-CENTERING NAIL SET

- Ideal for rapid setting of nails and brads.
- Designed to reduce marring of wood surface.
- Sets 4D and 6D finishing nails.
- Nickel-plated for durability.



Product #	Overall Length	Face Diameter
58-011	3-5/32 in (80 mm)	9/16 in (14 mm)

### STANLEY® SELF-CENTERING SCREW HOLE PUNCH

- Ideal for self-centering of hinges and catches.
- Nickel-plated for long life.



Product #	Overall Length	Face Diameter
58-013	3-1/16 in (78 mm)	3/8 in (9.5 mm)